Application Serial No.: 10/585,040 Inventor(s): MEYNIAL-SALLES *et al.* Attorney Docket No.: 2912956-029000

## **AMENDMENTS TO THE CLAIMS**

Claim 1. (Currently Amended) <u>A method Method</u> for the preparation of a strain of evolved micro-organisms for the production of 1,2-propanediol by the metabolism of a simple carbon source, said method comprising:

(a) providing growing an initial bacterial strain comprising deletion of *tpiA* gene and deletion of at least one gene involved in the conversion of methylglyoxal into lactate;

(b) culturing the initial bacterial strain, under selection pressure in an appropriate growth medium comprising a simple carbon source, said initial bacterial strain comprising a deletion of the gene *tpiA* and a deletion of at least one gene involved in the conversion of methylglyoxal (propanal) into lactate source for a time period sufficient to allow an increase in growth;

(c) causing in order to cause evolution, in said initial strain, of one or more genes involved in the biosynthesis pathway from DHAP to methylglyoxal and then to 1,2-propanediol towards evolved genes having an improved "1,2-propanediol synthase" 1,2-propanediol synthase activity, then to provide an evolved strain; and

(d) selecting and isolating the evolved strain of micro-organisms or strains of evolved\_micro-organisms having an improved "1,2-propanediol synthase" 1,2-propanediol synthase activity.

Claim 2. (Currently Amended) The method of claim 1, wherein the gene involved in the conversion of methylglyoxal into lactate is selected from the group consisting in consisting of *gloA*, *aldA* and *aldB*.

Claim 3. (Currently Amended) The method of claim 1, wherein the initial strain comprises deletion of the genes *gloA*, *aldA*, and *aldB* and *tpiA*.

Claim 4. (Currently Amended) The method of claim 1, wherein the initial strain comprises deletion of the genes *ldhA*, *pflA*, *pflB*, *adhE* and *edd*.

Inventor(s): MEYNIAL-SALLES et al.

Attorney Docket No.: 2912956-029000

Claim 5. (Currently Amended) The method of claim 1, wherein the initial strain further

comprises a pyruvate dehydrogenase complex also contains at least one gene coding for an

enzyme that favours the metabolism of pyruvate to acetate.

Claim 6. (Currently Amended) The method of elaim 1 claim 5, wherein the pyruvate

dehydrogenase complex enzyme that favours the metabolism of pyruvate into acetate has low

sensitivity to inhibition by NADH.

Claims 7 and 8. (Cancelled)

Claim 9. (Currently Amended) The method of claim 6 claim 5, wherein the enzyme that favours

the metabolism of pyruvate into acetate is an endogenous enzyme pyruvate dehydrogenase

complex is endogenous.

Claim 10. (Currently Amended) The method of claim 1, wherein one or more heterologous

genes coding for one or more enzymes involved in the conversion of acetyl-CoA and acetate into

acetone are introduced into the evolved microorganisms to provide a modified evolved strain.

Claim 11. (Currently Amended) The method of claim 10, wherein one the one or more

heterologous gene or genes coding for one or more enzymes involved in the conversion of

acetyl-CoA and acetate are from C. acetobutylicum.

Claim 12. (Currently Amended) The method of claim 10, wherein the modified evolved strain

comprising one or more heterologous genes coding for one or more enzymes involved in the

conversion of acetyl-CoA and acetate into acetone is grown under selection pressure in an

appropriate growth medium comprising a simple carbon source in order to cause, in said evolved

modified evolved strain, the evolution of one or more genes involved in the conversion of acetyl-

CoA and acetate to acetone towards an improved "acetone synthase" acetone synthase activity,

the second generation of resulting evolved microorganisms having an improved "1,2-propanediol

Inventor(s): MEYNIAL-SALLES et al.

Attorney Docket No.: 2912956-029000

synthase" 1,2-propanediol synthase activity and an improved "acetone synthase" acetone

synthase activity are then selected and isolated.

Claim 13. (Currently Amended) The method of claim 1, wherein the initial strain is a bacterium

selected from the group consisting of bacterium, a yeast and a fungus.

Claim 14. (Currently Amended) The method of claim 13, wherein the strain bacterium is

selected from the group consisting of *Escherichia* and *Corynebacterium*.

Claim 15. (Cancelled)

Claim 16. (Currently Amended) An evolved Evolved strain that can be obtained by the

method according to any of Claims claim 1

Claim 17. (Currently Amended) The evolved strain Strain according to Claim 16. Claim 35.

wherein the evolved strain comprises an lpd gene encoding a lipoamide dehydrogenase of the

pyruvate dehydrogenase complex, and wherein the in which the gene lpd gene has a point

mutation whereby alanine 55 is replaced by valine.

Claims 18 to 21. (Cancelled)

Claim 22. (Currently Amended) An initial Initial bacterial strain of a microorganism

comprising a deletion of the gene tpiA and a deletion of at least one gene involved in the

conversion of methylglyoxal (propanal) into lactate.

Claim 23. (Currently Amended) The strain of claim 22, wherein the gene involved in the

conversion of methylglyoxal into lactate is selected among the group consisting in consisting of

gloA, aldA and aldB.

Inventor(s): MEYNIAL-SALLES et al.

Attorney Docket No.: 2912956-029000

Claim 24. (Currently Amended) The method strain of claim 22, wherein the initial strain

comprises deletion of the genes gloA, aldA, and aldB and tpiA.

Claim 25. (Previously Presented) The strain of claim 22, wherein the initial strain comprises

deletion of the genes ldhA, pflA, pflB, adhE and edd.

Claim 26. (Currently Amended) The strain of claim 22, wherein the initial strain also contains

at least one gene coding for an enzyme that favours the metabolism of pyruvate to acetate a

pyruvate dehydrogenase complex.

Claim 27. (Currently Amended) The strain of claim 22, wherein the enzyme that favours the

metabolism of pyruvate into acetate pyruvate dehydrogenase complex has low sensitivity to

inhibition by NADH.

Claims 28 and 29. (Cancelled)

Claim 30. (Currently Amended) The strain of claim 22, wherein the strain is a bacterium

selected from the group consisting of a bacterium, a yeast and a fungus.

Claim 31. (Currently Amended) The strain of claim 30, wherein the bacterium is selected from

the group consisting of Escherichia and Corynebacterium.

Claim 32. (Currently Amended) The evolved strain of claim 16, comprising a deletion of the

gene tpiA and a deletion of wherein the at least one gene involved in the conversion of

methylglyoxal (propanal) into lactate, selected from the group consisting in lactate is selected

from the group consisting of gloA, aldA and aldB to provide a modified evolved strain.

Claim 33. (Currently Amended) The evolved strain of claim 16, comprising deletion of the

genes gloA, aldA, and aldB and tpiA to provide a modified evolved strain.

Inventor(s): MEYNIAL-SALLES et al.

Attorney Docket No.: 2912956-029000

Claim 34. (Currently Amended) The evolved strain of claim 16, further comprising a

modification, the modification comprising deletion of the genes ldhA, pjlA, pjlB, adhE and edd to

provide a modified evolved strain.

Claim 35. (Currently Amended) The strain of claim 16, comprising at least one gene coding for

an enzyme that favours the metabolism of pyruvate to acetate wherein the strain comprises a

pyruvate dehydrogenase complex.

Claim 36. (Currently Amended) The strain of claim 35, wherein the enzyme that

favours the metabolism of pyruvate into acetate pyruvate dehydrogenase complex has low

sensitivity to inhibition by NADH.

Claims 37 and 38. (Cancelled)

Claim 39. (Currently Amended) The strain of elaim 36 claim 35, wherein the enzyme that

favours the metabolism of pyruvate into acetate is an endogenous enzyme pyruvate

dehydrogenase complex is endogenous.

Claim 40. (Previously Presented) The strain of claim 16, comprising one or more heterologous

genes coding for one or more enzymes involved in the conversion of acetyl CoA and acetate into

acetone.

Claim 41. (Currently Amended) The strain of claim 40, wherein one or more

heterologous gene or genes coding for one or more enzymes involved in the conversion of

acetyl-CoA and acetate is from *C. acetobutylicum*.

Claim 42. (Currently Amended) The strain of claim 16, wherein the strain is a bacterium

selected from the group consisting of a bacterium, a yeast and a fungus.

Inventor(s): MEYNIAL-SALLES et al.

Attorney Docket No.: 2912956-029000

Claim 43. (Currently Amended) The strain of claim 16, wherein the bacterium is selected from

the group consisting of Escherichia and Corynebacterium.

Claim 44. (Currently Amended) The strain of claim 17, wherein the strain is a bacterium

selected from the group consisting of a bacterium, a yeast and a fungus.

Claim 45. (Currently Amended) The strain of claim 17, wherein the bacterium is selected from

the group consisting of *Escherichia*, and *Corynebacterium*.

Claim 46. (Currently Amended) An evolved Evolved strain that can be obtained by the method

of Claim 10.

Claim 47. (Currently Amended) The evolved strain of Claim 46, according to claim 50, wherein

the evolved strain comprises an *lpd* gene encoding a lipoamide dehydrogenase of the pyruvate

dehydrogenase complex, and wherein the *lpd* gene in which the gene *lpd* has a point mutation

whereby alanine 55 is replaced by valine.

Claim 48. (Currently Amended) The strain of claim 46, wherein the strain is a bacterium

selected from the group consisting of a bacterium, a yeast and a fungus.

Claim 49. (Currently Amended) The strain of claim 46, wherein the bacterium is selected from

the group consisting of *Escherichia* and *Corynebacterium*.

Claim 50. (New) The evolved strain of claim 46, wherein the strain comprises a pyruvate

dehydrogenase complex.